

SAFETY DATA SHEET (SDS)

TITLE:	Phenmedipham 160 g/L+ Desmedipham 160 g/L (EC)
--------	---

1.0 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Identification on the label / Trade name	: CIBA RANGER 320 EC
Common Name	: Phenmedipham 160 g/L+ Desmedipham 160 g/L (EC)
Index Number	: N/A
REACH registration No.	: N/A

1.2 Relevant identified uses of the substance and uses advised against:

Herbicide

1.3 Details of the Manufacturer / Supplier of the safety data sheet:

Supplier	CIBA AGRIPHARMA SARL 78 Boulevard Haussmann 75008 Paris , France
Tel	Tel: +33 6 51 39 90 00
E-mail	administration@ciba- agripharma.com
Webpage	www. ciba- agripharma.com

1.4 Emergency Phone Number (24 hours)

+33 6 51 39 90 00

2.0 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Specific target organ toxicity - single exposure: Category 3
H335 May cause respiratory irritation.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- ✓ Phenmedipham
- ✓ Desmedipham
- ✓ Reaction mass of N,N-Dimethyldecan-1-amide and N,N-Dimethyloctanamide



Signal word: Warning

Hazard statements

H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P260	Do not breathe spray.
P280	Wear protective gloves.
P312	Call a POISON CENTER/doctor/physician if you feel unwell.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No other hazards known.

3.0 COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Emulsifiable concentrate (EC)
Phenmedipham/Desmedipham 160:160 g/l

4.0 FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Lethargy

|| May cause respiratory tract irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Risks This product, although being a carbamate, is NOT a cholinesterase inhibitor.

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote. Forced alkaline diuresis and hemodialysis may be considered.

5.0 FIRE – FIGHTING MEASURES

5.1 Extinguishing media

|| **Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

|| **Unsuitable** High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Oxides of phosphorus, Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

6.0 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

7.0 HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from freezing. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials Coextruded containers with a barrier layer made of ethylene vinyl alcohol copolymer (EVOH) between two layers of high density polyethylene

7.3 Specific end use(s) Refer to the label and/or leaflet.

8.0 EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Phenmedipham	13684-63-4	1.5 mg/m ³ (TWA)		OES BCS*

Desmedipham	13684-56-5	1.2 mg/m ³ (TWA)		OES BCS*
Phenmedipham	13684-63-4	1.5 mg/m ³ (TWA)		OES BCS*
Desmedipham	13684-56-5	1.2 mg/m ³ (TWA)		OES BCS*

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

If product is handled while not enclosed, and if contact may occur:
Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.
If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

9.0 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid, clear to slightly turbid
Colour	tan
Odour	aromatic
pH	1.8 - 3.0 at 10 % (23 °C) (deionized water)
Flash point	>100 °C
Density	ca. 1.03 g/cm ³ at 20 °C
Water solubility	emulsifiable
Partition coefficient: n-octanol/water	Phenmedipham: log Pow: 3.59 Desmedipham: log Pow: 3.39
Viscosity, kinematic	122 mm ² /s at 40 °C Shear rate of 20/sec
Surface tension	32.6 mN/m at 25 °C Determined in the undiluted form.
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

10.0 STABILITY AND RELIABILITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

11.0 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 2.14 mg/l
Exposure time: 4 h
Determined in the form of a respirable aerosol.

Acute toxicity Highest attainable concentration.
Irritating to respiratory system.

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Skin irritation Slight irritant effect - does not require labelling. (Rabbit)

Eye irritation Slight irritant effect - does not require labelling. (Rabbit)

Sensitisation Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity – single exposure

Phenmedipham: Based on available data, the classification criteria are not met.

Desmedipham: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Phenmedipham caused haemolytic anaemia, methaemoglobinaemia in animal studies. The observed effects do not appear to be relevant for humans.

Desmedipham caused methaemoglobinaemia, haemolytic anaemia in animal studies. The observed effects do not appear to be relevant for humans.

Assessment mutagenicity

Phenmedipham was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Desmedipham was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Phenmedipham was not carcinogenic in lifetime feeding studies in rats and mice.

Desmedipham was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Phenmedipham caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Phenmedipham is related to parental toxicity.

Desmedipham caused a reduced litter size and a reduced pup weight. The reproduction toxicity seen with Desmedipham is related to parental toxicity.

Assessment developmental toxicity

Phenmedipham caused developmental toxicity only at dose levels toxic to the dams. Phenmedipham caused a delayed ossification of foetuses. The developmental effects seen with Phenmedipham are related to maternal toxicity.

Desmedipham caused developmental toxicity only at dose levels toxic to the dams. Desmedipham caused a delayed ossification of foetuses, an increased incidence of variations. The developmental effects seen with Desmedipham are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

12.0 ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 8.6 mg/l static test; Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 3.67 mg/l static test; Exposure time: 48 h
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia (water flea)): 0.01 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient desmedipham.
Toxicity to aquatic plants	IC50 (Raphidocelis subcapitata (freshwater green alga)) 8.79 mg/l Growth rate; Exposure time: 72 h IC50 (Lemna gibba (gibbous duckweed)) 13.2 mg/l Growth rate; Exposure time: 7 d

12.2 Persistence and degradability

Biodegradability	Phenmedipham: Not rapidly biodegradable Desmedipham: Not rapidly biodegradable
Koc	Phenmedipham: Koc: 888 Desmedipham: Koc: > 5000

12.3 Bioaccumulative potential

Bioaccumulation	Phenmedipham: Bioconcentration factor (BCF) 165 Does not bioaccumulate. Desmedipham: Bioconcentration factor (BCF) 157 Does not bioaccumulate.
------------------------	---

12.4 Mobility in soil

Mobility in soil	Phenmedipham: Slightly mobile in soils Desmedipham: Immobile in soil
-------------------------	---

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment	Phenmedipham: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Desmedipham: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	---

12.6 Other adverse effects

Additional ecological information	No other effects to be mentioned.
--	-----------------------------------

13.0 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose. Return large containers to supplier. Follow advice on product label and/or leaflet.
Waste key for the unused product	02 01 08* agrochemical waste containing hazardous substances

14.0 TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PHENMEDIPHAM, DESMEDIPHAM SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PHENMEDIPHAM, DESMEDIPHAM SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PHENMEDIPHAM, DESMEDIPHAM SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

UK 'Carriage' Regulations

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PHENMEDIPHAM, DESMEDIPHAM SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

15.0 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.



16.0 OTHER INFORMATION

The information contained herein relates only to the specified material identified. CIBA AGRIPHARMA, believes that such information is accurate and reliable as of the data of this material safety data sheet, but no representation, guarantee or warranty, expressed or implied, is made as to the accuracy, reliability, or completeness of the information. CIBA AGRIPHARMA urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application.