



MIX EXTRA



Herbicide

A post-emergence contact and residual herbicide for the control of a wide range of broad-leaved weeds and meadow grasses in winter wheat.

Active Ingredients:

Mesosulfuron Methyl 7.5g/l
+ Iodosulfuron-methyl 2.5g/l
+ Mefenpyr- Diethyl 22.5g/l
+ Diflufenican 50g/l


Product Type: (OD)
Oil Dispersion



Herbicide



MIX EXTRA



Method of use:

Crop	Weeds	Leaf Stage	Rate of Use
Winter Wheat	Annual meadow-grass, Rough-stalked meadow-grasses	Post-emergence to GS 23	1.0 L/Ha
	Common chick-weed	Post-emergence to branching stage (10cm diameter.)	1.0 L/Ha
	Mayweeds	Post-emergence to GS 18 (8 true leaves)	1.0 L/Ha
	Common field speedwell, Field pansy, Common poppy, Charlock, Volunteer oilseed rape	Post-emergence to GS 16 (6 true leaves)	1.0 L/Ha
	Groundsel, Red deadnettle, Shepherd's purse	Post-emergence to GS 14 (4 true leaves)	1.0 L/Ha
	Cleavers	Post-emergence to GS 12 (moderately susceptible)	1.0 L/Ha

Latest time of Application: Up to 1st node detectable stage (GS 31) of the crop