



CIBA MIX



Herbicide

A Sulfonylurea selective herbicide, for the post-emergence control of Wild Oats and Annual Phalaris and suppression of Brome grass, Barley grass and Annual ryegrass in Wheat.

Active Ingredients:
Mesosulfuron Methyl 10g/l
+ Iodosulfuron-methyl 2g/l
+ Mefenpyr- Diethyl 30g/l
Product Type:
Oil Dispersion (OD)

Herbicide



CIBA MIX



Method of use:

Crop	Weeds	Leaf Stage	Rate of Use
Wheat	Brome grass	1 leaf to 3 Leaf, 1 tiller (Z11 to Z13-21)	330 ml/ Ha
	Annual Ryegrass	1 leaf to 3 Leaf, 1 tiller (Z11 to Z13-21)	330 ml/ Ha
	Barley grass	1 leaf to 4 Leaf, 2 tillers (Z11 to Z14-22)	330 ml/ Ha
	Wild oats	1 leaf to 3 Leaf, 1 tiller (Z11 to Z13-21)	330 ml/ Ha
	Annual phalaris, Phalaris paradoxa	1 leaf to 3 Leaf, 1 tiller (Z11 to Z13-21)	330 ml/ Ha

Withholding period: Do not harvest for 8 weeks after application.